



## M/s. Chhaganlal Dharamchand Shah

### PIPE FITTINGS OF CARBON, STAINLESS & ALLOY STEEL

ASTM GRADE	C	Mn	Si	S	P	Cr	Ni	Mo	HARDNESS OTHER
A234WPB	0.3 MAX	0.29-1.06	0.1 MIN	0.058 MAX	0.05 MAX	-	-	-	-
A234/234N WP11CL-1	0.15	0.3-0.6	0.5-1	0.03 MAX	0.03 MAX	1-1.5	-	0.44 - 0.65	-
A234/234M WP5	0.15 MAX	0.3-0.6	0.5 MAX	0.03 MAX	0.04 MAX	4-6	-	0.44 - 0.65	-
A403/403N WP304L	0.035 MAX	2	1	0.03	0.045	18 - 20	8 - 13	-	-
A403/403N WP310	0.015 MAX	2	1.5	0.03	0.045	24 - 26	19 - 22	-	-
A403/403N WP316L	0.035 MAX	2	1	0.03	0.045	16 - 18	10 - 15	2 - 3	-